

Summer Scheme of Learning

Year 4

#MathsEveryoneCan



# Contents

- Meet the Characters ..... 3
- Yearly Overview ..... 4
- Summer Blocks
  - Block 1 – Number: Decimals ..... 5
  - Block 2 – Money ..... 19
  - Block 3 – Time ..... 29
  - Block 4 – Statistics ..... 39
  - Block 5 – Properties of Shape ..... 49
  - Block 6 – Position and Direction ..... 63

## Meet the Characters

Children love to learn with characters and our team within the scheme will be sure to get them talking and reasoning about mathematical concepts and ideas. Who's your favourite?




Teddy



Rosie



Mo



Eva



Alex



Jack



Whitney



Amir



Dora



Tommy



Dexter



Ron



Annie

	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9	Week 10	Week 11	Week 12
Autumn	Number: Place Value				Number: Addition and Subtraction			Measurement: Length and Perimeter	Number: Multiplication and Division			Consolidation
Spring	Number: Multiplication and Division			Measurement: Area	Number: Fractions				Number: Decimals			Consolidation
Summer	Number: Decimals	Measurement: Money		Measurement: Time	Statistics		Geometry: Properties of Shape			Geometry: Position and Direction	Consolidation	

**White**

**Rose  
Maths**

Summer - Block 1

**Decimals**

**Year 4**

# Overview

## Small Steps

## NC Objectives

- Make a whole
- Write decimals
- Compare decimals
- Order decimals
- Round decimals
- Halves and quarters

Compare numbers with the same number of decimal places up to two decimal places.  
Round decimals with one decimal place to the nearest whole number.  
Recognise and write decimal equivalents to  $\frac{1}{4}$ ,  $\frac{1}{2}$  and  $\frac{3}{4}$   
Understand the effect of dividing a one or two digit number by 10 or 100. Identifying the value of the digits in the answer as ones, tenths and hundredths.

# Make a Whole

## Notes and Guidance

Children make a whole from any number of tenths and hundredths. They use their number bonds to ten and one hundred to support their calculations. Children use pictorial and concrete representations to support their understanding.

## Mathematical Talk

How many tenths make one whole?


How many hundredths make one tenth?

How many hundredths make one whole?


If I have \_\_\_ hundredths, how many more do I need to make one whole?

## Varied Fluency

- Here is a hundred square. How many hundredths are shaded? How many more hundredths do you need to shade so the whole hundred square is shaded?  
 \_\_\_ hundredths + \_\_\_ hundredths = 1 whole






- Here is a rekenrek with 100 beads. Each bead is one hundredth of the whole.



\_\_\_ hundredths are on the left.  
 \_\_\_ hundredths are on the right.  
 $0.\underline{\quad} + 0.\underline{\quad} = 1$



- Complete the part-whole models.



# Make a Whole

## Reasoning and Problem Solving

Which part-whole model does not match the hundred square?



Explain your answer.

$0.03 + 0.07$  does not equal one whole so this one does not match.

Three bead strings are 0.84 m long altogether.

Would four bead strings be longer or shorter than a metre?

Explain how you know.

Longer because each bead string is 28 cm (0.28 m) long, and  $0.84 + 0.28 = 1.12$  which is greater than 1 metre.



# Write Decimals

## Notes and Guidance

Children use place value counters and a place value grid to make numbers with up to two decimal places.

They read and write numbers with decimals and understand the value of each digit.

They show their understanding of place value by partitioning numbers with decimals in different ways.

## Mathematical Talk

How many ones/tenths/hundredths are in the number?

How do we write this as a decimal? Why?

What is the value of the \_\_\_ in the number \_\_\_\_\_?

When do we need to use zero as a place holder?

How can we partition decimal numbers in different ways?

## Varied Fluency

What number is represented on the place value grid?

Ones	Tenths	Hundredths
	●	● ● ●
0	1	3

There are \_\_\_ ones,  
\_\_\_ tenths and  
\_\_\_ hundredths.

The number is \_\_\_

Make the numbers on a place value chart and write down the value of the underlined digit.


347

2.15


0.6

25.03

Complete the part-whole model in two different ways and write a number sentence to go with each.



$0.83 = \underline{\quad} + 0.03$




$0.83 = 0.7 + \underline{\quad}$

# Write Decimals

## Reasoning and Problem Solving

Annie thinks the number shown is 2.2



Do you agree with Annie?  
Explain your answer.

No because Annie has not included the place holder. The number shown is 2.02

Mo is told that this bead string represents one whole.



He thinks that each individual bead represents one tenth.  
Do you agree with Mo?  
Explain your answer.

Mo is incorrect because there are 100 beads altogether on the bead string. Each individual bead is worth one hundredth.

Match each description to the correct number.



Teddy

My number has the same amount of tens as tenths.




Amir

My number has one decimal place.



Rosie

My number has two hundredths.



Eva

My number has six tenths.

46.2

2.64

46.02

40.46

Teddy: 40.46

Amir: 46.2

Rosie: 46.02

Eva: 2.64

# Compare Decimals

## Notes and Guidance

Children apply their understanding of place value to compare numbers with decimals with up to two decimal places. They will consolidate and deepen their understanding of 0 as a place holder when making a comparison.

## Mathematical Talk

How many tenths does it have?


There are \_\_\_ tenths and \_\_\_ hundredths.

The number is \_\_\_ . \_\_\_


\_\_\_ . \_\_\_ is greater/less than \_\_\_ . \_\_\_ because ...

## Varied Fluency

Write the numbers shown and compare using  $<$  or  $>$



Draw counters in the place value chart to make the statement correct.




Complete.

5.5	○	5.7	0.37	<	0.7
0.14	○	0.29	2.22	>	2.2
1	○	0.64	1.1	>	1.1
3.32	○	3.23	9.9	<	9.9

# Compare Decimals

## Reasoning and Problem Solving

Use each digit card **once** to make the statement correct.




$$\underline{3}.\underline{\quad}\underline{\quad} > \underline{\quad}.\underline{\quad}\underline{\quad}$$

Can you find eight different possible solutions?

Some possible solutions:

- 3.12 > 0.45
- 3.24 > 1.05
- 3.45 > 1.02
- 3.01 > 2.45
- 3.42 > 2.01
- 3.45 > 0.12
- 3.02 > 1.45
- 3.24 > 1.05



Use three digit cards to make the greatest possible number.

$$\underline{\quad}\underline{\quad}\underline{\quad}.$$

Use three digit cards to make the smallest possible number.

$$\underline{\quad}\underline{\quad}\underline{\quad}.\underline{\quad}\underline{\quad}\underline{\quad}$$

The greatest:

7.54

The smallest:

0.45

# Order Decimals

## Notes and Guidance

Children apply their understanding of place value to order numbers with decimals with up to two decimal places. They will consolidate and deepen their understanding of 0 as a place holder, the inequality symbols and language such as ascending and descending.

## Mathematical Talk





Which digit can we use to compare these decimals? Will this always be the case?

Do we always use the digit furthest left to compare decimals?

\_\_\_ . \_\_\_ \_\_\_ is \_\_\_\_\_ than \_\_\_ . \_\_\_ \_\_\_ because ...

## Varied Fluency

Write down the decimals represented in the place value grid and then place them in ascending order.



Place the numbers in descending order.

46.2

9.64

46.02

40.46

Complete.

1.11  1.12  1.13

0.1\_\_ < 0.1\_\_ < 0.15

3.32  3.23  2.32

1.9\_\_ < 1.9\_\_ < 2.01

4.44  4.34  4.04

6.67 > 6.\_\_7 > 6.37

# Order Decimals

## Reasoning and Problem Solving

### Spot the Mistake

Rosie is ordering some numbers in ascending order:



$$0.09 < 0.99 < 10.01 < 1.35 < 9.09$$

Can you explain her mistake?

Rosie hasn't considered the place value of the digits in the numbers and has just ordered by comparing individual digits left to right.

Some children have planted sunflowers and have measured their heights.

Child	Height
Beth	1.23 m
Tony	0.95 m
Rachel	1.02 m
Kate	1.2 m
Faye	99 cm
Emma	0.97 m



Order the children based on the heights of their sunflowers in both ascending and descending order.

Ascending:  
Tony, Emma, Faye, Rachel, Kate, Beth

Descending:  
Beth, Kate, Rachel, Faye, Emma, Tony

# Round Decimals

## Notes and Guidance



Children round numbers with 1 decimal place to the nearest whole number. They look at the digit in the tenths column to understand whether to round a number up or not. It is best to avoid the phrase ‘round down’ as this can sometimes lead to misconceptions. Children need to be taught that if a number is exactly half-way, then by convention we round up to the next integer.

## Mathematical Talk



- Which whole numbers does the decimal lie between?
- Which whole number is the decimal closer to on the number line?
- Which column do we focus on when rounding to the nearest whole number?
- Which digits in the tenths column do not round up to the nearest whole number?
- Which digits in the tenths column round up to the nearest whole number?

## Varied Fluency

Which integers do the decimals lie between?



Complete the sentences to describe each decimal.



\_\_\_ is closer to \_\_\_ than \_\_\_  
 \_\_\_ rounds to \_\_\_ to the nearest whole number.

Circle the numbers that round up to the nearest whole number.

- 4.5      3.7      2.3      4.2      16.8      1.9

## Round Decimals

### Reasoning and Problem Solving

Mo says 0.4 rounded to the nearest whole number is zero.

Whitney says 0.4 rounded to the nearest whole number is one.

Who is correct? Why?

Mo is correct. 0.4 lies between 0 and 1, as there are only four tenths, the number rounds to zero.

A number with one decimal place rounded to the nearest whole number is 45

What could the number be?

The number could be:  
44.5, 44.6, 44.7,  
44.8, 44.9, 45.1,  
45.2, 45.3 or 45.4



# Halves and Quarters

## Notes and Guidance

Children write  $\frac{1}{2}$ ,  $\frac{1}{4}$  and  $\frac{3}{4}$  as decimals. They use concrete and pictorial representations to support the conversion.  
 Children use their knowledge of equivalent fractions to write fractions as hundredths and then write the fractions as halves or quarters.

## Mathematical Talk


How would you write your answer as a decimal and a fraction?

Can you represent one quarter using decimal place value counters?

Can you represent three quarters using counters on a place value grid?

## Varied Fluency

Here is a rekenrek with 100 beads.




\_\_\_ out of 100 beads are red.  
 \_\_\_ out of 100 beads are white.  
 $\frac{\square}{100}$  are red, and  $\frac{\square}{100}$  are white.

Half of the beads are red, and half of the beads are white.

$\frac{1}{2} = \frac{50}{100} = \frac{5}{10}$ , so  $\frac{1}{2}$  is \_\_\_\_\_ as a decimal.

The beads are split equally on each side of the rekenrek.



There are 4 equal groups.  
 1 out of 4 equal groups = \_\_\_ beads.  
 1 out of 4 equal groups =  $\frac{\square}{100}$   
 $\frac{1}{4} = \frac{\square}{100} = \underline{\hspace{2cm}}$

What fraction is represented by 3 out of the 4 groups?  
 Can you write this as a decimal?

$\frac{3}{4} = \frac{\square}{100} = \underline{\hspace{2cm}}$

# Halves and Quarters

## Reasoning and Problem Solving

Alex says:

If I know  $\frac{1}{2}$  is 0.5 as a decimal, I also know  $\frac{3}{6}$ ,  $\frac{4}{8}$  and  $\frac{6}{12}$  are equivalent to 0.5 as a decimal.

Explain Alex's thinking.

Alex has used her knowledge of equivalent fractions to find other fractions that are equivalent to 0.5

Dexter has made a mistake when converting his fractions to decimals.

$$\frac{1}{2} = 1.2, \frac{1}{4} = 1.4 \text{ and } \frac{3}{4} = 3.4$$

What mistake has Dexter made?

Dexter has incorrectly placed the numerator in the ones column and the denominator in the tenths column. He should have used equivalent fractions with tenths and or hundredths to convert the fractions to decimals.

**White**

**Rose  
Maths**

Summer - Block 2

**Money**

**Year 4**

# Overview

## Small Steps

## NC Objectives

- ▶ Pounds and pence
- ▶ Ordering money
- ▶ Estimating money
- ▶ Four operations

Estimate, compare and calculate different measures, including money in pounds and pence.

Solve simple measure and money problems involving fractions and decimals to two decimal places.

# Pounds and Pence

## Notes and Guidance

Children develop their understanding of pounds and pence. This is the first time they are introduced to decimal notation for money. Once children are confident with this, they can move on to convert between different units of money.

Children can use models, such as the part-whole model, to recognise the total of an amount being partitioned in pounds and pence.

## Mathematical Talk

How many pence make a pound?

Why do we write a decimal point between the pounds and pence?

How would we write 343 p using a pound sign?

How can the amounts be partitioned in to pounds and pence?

Is there only one way to complete the part-whole model?

How can these amounts be converted into pounds and pence?

## Varied Fluency

How much money is in each purse?






There is \_\_\_ pence.  
 There is \_\_\_ pounds.  
 There is £\_\_\_ and \_\_\_ p  
 There is £\_\_\_\_\_



There is \_\_\_ pence.  
 There is \_\_\_ pounds.  
 There is £\_\_\_ and \_\_\_ p  
 There is £\_\_\_\_\_

Complete the part-whole models to show how many pounds and pence there are.



Convert these amounts to pounds and pence:

357 p

307 p

57 p

370 p

# Pounds and Pence

## Reasoning and Problem Solving

Some children are converting 1206 p into pounds.

Who is correct?



Whitney

$$1206 \text{ p} = \text{£}12.6$$

$$1206 \text{ p} = \text{£}12.06$$



Rosie

$$1206 \text{ p} = \text{£}120.6$$



Teddy

What have the others done wrong?

Rosie is correct. Whitney has not written the 6 p in the correct column. Teddy has not understood how many pence there are in a pound, therefore his place value is incorrect.

Eva has these coins:



She picks three coins at a time. Decide whether the statements will be always, sometimes or never true.

- She can make a total which ends in 2
- She can make an odd amount.
- She can make an amount greater than £6
- She can make a total which is a multiple of 5 pence

Can you think of your own always, sometimes, never statements?

- Never
- Sometimes e.g. £3.05
- Never – she can only choose three coins so the largest amount she can make is £5
- Always, because every coin is a multiple of 5 pence

## Ordering Money

### Notes and Guidance

Children use their knowledge of  $\text{£}1 = 100 \text{ p}$  to compare amounts. Children begin by ordering amounts represented in the same format e.g. 4,562 p and 4,652 p, or  $\text{£}45.62$  and  $\text{£}46.52$  and relate this to their place value knowledge. Once children understand this, they look at totals that include mixed pounds and pence and also totals represented in decimal notation. Using real notes and coins could support some children.

### Mathematical Talk

What does the digit \_\_\_ represent?

What place value column is the digit in? How many pounds/pence is it equivalent to?

How can this help us decide which amount is larger/smaller?

Can we think of an amount which could go in between these amounts?

What does ascending/descending mean?

What's the same? What's different?

### Varied Fluency

- Two classes save their pennies for a year.

Class A saves 3,589 pennies.

Class B saves 3,859 pennies.

Which class saves the most money?

- Write the amounts as pence, then compare using  $<$ ,  $>$  or  $=$

6,209 p   $\text{£}60.09$

$\text{£}0.54$   54 p

Write the amounts as pounds, then compare using  $<$ ,  $>$  or  $=$

62 p   $\text{£}6.02$

$\text{£}5,010$   5,010 p

- Order the amounts in ascending order.

130 p

$\text{£}0.32$

132 p

$\text{£}13.20$

Order the amounts in descending order.

257 p

$\text{£}2.50$

2,057 p

$\text{£}25.07$

# Ordering Money

## Reasoning and Problem Solving

Teddy, Dora and Jack are buying toys.

I have £5.43




Teddy



Dora

I have 534p



Jack

I have more money than Dora but less than Teddy.

How much money could Jack have?  
Is there only one answer?

What would you rather have, five 50p coins or twelve 20p coins?  
Explain your answer fully.




Jack could have anything from £5.35 to £5.42  
Children may record this as 535 p to 542 p

I would rather have five 50 p coins because  $50 \times 5 = 250p$  but  $20 \times 12 = 240p$

Amir has these digits cards.



He uses them to fill the frame below:



He makes a total that is more than three pounds but less than six pounds.

How many amounts can he make?

Order your amounts in ascending order.

£3.24, £3.26  
£3.42, £3.46  
£3.62, £3.64  
£4.23, £4.26  
£4.32, £4.36  
£4.62, £4.63



# Estimating Money

## Notes and Guidance

Children round amounts of money written in decimal notation to the nearest pound. They estimate the total of two amounts and move on to estimating with more than two amounts.

Children discuss underestimating and overestimating and link this to rounding down or up and apply it to real life scenarios such as buying food in the supermarket.

## Mathematical Talk

If we have \_\_\_\_, what whole numbers/pounds does this come in between? Where will it go on the number line? Which pound is it nearer to?

What does estimate mean? What does approximately mean? Where would be a sensible place to start labelling the number line?


What will each amount round to? How much will they total altogether?

If you had \_\_\_\_, would you have enough to buy the items?

## Varied Fluency

Place the amounts on the number line and round to the nearest pound.


- £3.67
- £3.21
- £3.87







- £7.54
- £7.45
- 701 p



Complete this number line.



Complete the table by rounding each amount and finding the total.

Item 1	Item 2	Approximate Total
 £5.63	 £1.76	
 £3.05	 £11.54	

Annie has £15 to spend at the theme park. She rides on the roller coaster which costs £4.34 Then she rides on the big wheel which costs £3.85 Approximately how much money will she have left?

# Estimating Money

## Reasoning and Problem Solving



Tommy – car  
 Amira – computer game and rugby ball  
 Eve – panda


Three children buy toys.  
 Can you work out who buys what?  
 Tommy buys a toy which rounds to £5 but gets change from £5  
 Amir buys two toys which total approximately £25  
 Eva's toy costs 5 p more than the number the cost rounds to.

If you had £30, what combinations could you buy and what change would you approximately get?

Various answers

Mo buys some socks and gloves.  
 He estimates how much he'll spend.

$$£4 + £5 = £9$$



What could the actual price of the socks and gloves have been?

Mo has £12  
 He says he has enough money to buy three pairs of socks.

Do you agree?  
 Explain why.

The socks could cost between £3.50 and £4.49  
 The gloves could cost between £4.50 and £5.49

It depends. If the socks costs £3.50 to £4, he will.  
 If the socks cost £4.01 to £4.49, he will not.

## Four Operations

### Notes and Guidance

Children solve simple problems with money, involving all four operations. Children are not expected to formally add with decimals in Year 4 but could explore other methods, such as partitioning and recombining to add money. They could use prior knowledge of converting, as well as number bonds, to help them.

Bar modelling could also be used as a strategy when solving problems.

### Mathematical Talk

How can we label the bar model?

What other questions could we ask?

What operation will we use?


How can we partition pounds and pence to help add two amounts?

Is there an alternative way to answer this question?

### Varied Fluency

- Ron has £48. He spends one quarter of his money.

How much does he have left?  
Use the bar model to help.



- A family is going bowling.  
How much does it cost for 1 child and 1 adult at peak time?  
How much does it cost for 1 adult and 2 children off peak?

Tickets	Peak	Off Peak
Adult	£8	£6
Child	£4.20	£5.30

- Amir buys some clothes in a half price sale.
  - Jumper £14
  - Scarf £7
  - Hat £2.50
  - T-shirt £6.50



What would the full price of each item be?  
How much would he have paid altogether if they were full price?  
How much does he pay in the sale?  
How much does he save?

# Four Operations

## Reasoning and Problem Solving

A class has £100 to spend on books.

**Book Prices**

Hardback = £8  
Paperback = £4

How many books could they buy for £100?  
How many different ways can this be done?

Children may explore this systematically e.g.  
 $8 \times 12 = 96$   
 (12 hardbacks)  
 $4 \times 1 = 4$   
 (1 paperback) etc.  
 Or they may start with paperback  
 $4 \times 25 = 100$   
 (25 paperbacks)  
 etc.

Dexter buys a teddy bear for £6.00, a board game for £4.00, a CD for £5.50 and a box of chocolates for £2.50  
 He has some discount vouchers.  
 He can either get £10.00 off or pay half price for his items. Which voucher would save him more?  
 Explain your thinking.

Total = £18  
 $18 - 10 = 8$   
 $\frac{1}{2}$  of 18 = 9  
 $18 - 9 = 9$   
 The £10 voucher would save more.

Here is Dora's receipt.

Receipt	
Sandwich	
Orange juice	
Crisps	60 p
Banana	
<b>TOTAL</b>	

Use the information to complete the receipt:

- The sandwich costs £2.15 more than the crisps.
- The orange juice is the same price as the crisps and banana together.
- The banana is half the price of the crisps.

Receipt	
Sandwich	£2.75
Orange juice	90 p
Crisps	60 p
Banana	30 p
<b>TOTAL</b>	£4.55

**White**

**Rose  
Maths**

Summer - Block 3

**Time**

**Year 4**

# Overview

## Small Steps

## NC Objectives

- Hours, minutes and seconds
- Years, months, weeks and days
- Analogue to digital – 12 hour
- Analogue to digital – 24 hour

Read, write and convert time between analogue and digital 12- and 24-hour clocks.

Solve problems involving converting from hours to minutes; minutes to seconds; years to months; weeks to days.

# Hours, Minutes & Seconds

## Notes and Guidance

Children recap the number of minutes in an hour and seconds in a minute from Year 3

They use this knowledge, along with their knowledge of multiplication and division to convert between different units of time.

## Mathematical Talk

- What activity might last one hour/minute/second?
- How many minutes are there in an hour?
- How can we use a clock face to check? How could we count the minutes?
- How many seconds are there in one minute? What could we use to check?
- How many minutes in \_\_\_\_ hours? How many seconds in \_\_\_\_ minutes?

## Varied Fluency

- Sort the activities under the headings depending on the approximate length of time they take to complete.

One hour	One minute	One second
Clap	Run around the playground	Blink
Swimming lesson	PE lesson	Tie your shoe laces

- One hour = \_\_\_\_ minutes      One minute = \_\_\_\_ seconds.  
Two hours = \_\_\_\_ minutes      Three minutes = \_\_\_\_ seconds.  
Half an hour = \_\_\_\_ minutes      \_\_\_\_ minutes = 240 seconds
- Josh reads a chapter of his book in 5 minutes and 28 seconds. Tom reads a chapter of his book in 300 seconds. Who reads their chapter the quickest?

# Hours, Minutes & Seconds

## Reasoning and Problem Solving

Jack takes part in a sponsored silence.

He says,



If I am silent for five hours at 10p per minute, I will raise £50

Do you agree with Jack?  
Explain why you agree or disagree.

Jack is incorrect. There are 60 minutes in an hour so  
 $60 \times 10p = 600p$   
 or £6  
 $£6 \times 5 = £30$

Dora says,



To convert hours to minutes, I multiply the number of hours by 60

Is she correct? Can you explain why?

Dora is correct. For example  
 $1 \text{ hour} = 60 \text{ minutes}$   
 $1 \times 60 = 60$   
 $2 \text{ hours} = 120 \text{ minutes}$   
 $2 \times 60 = 120$

Five friends run a race. Their times are shown in the table.

Name	Time
Eva	114 seconds
Dexter	199 seconds
Teddy	100 seconds
Whitney	202 seconds
Ron	119 seconds

Which child finished the race the closest to two minutes?

What was the difference between the fastest time and the slowest time?  
Give your answer in minutes and seconds.

Ron was the closest to two minutes, as he is one second quicker than 2 minutes (120 seconds).

Fastest time 100 seconds, slowest time 202 seconds.

The difference between the fastest and slowest time is 1 minute and 42 seconds.



# Years, Months, Weeks & Days

## Notes and Guidance

Children recap the concept of a year, month, week and day from Year 3

They use this knowledge, along with their knowledge of addition, subtraction, multiplication and division to convert between the different units of time.

## Mathematical Talk

How many days are there in a week? How many days are there in each month?

How many weeks in a year?

How many days are there in \_\_\_\_ weeks? What calculation do we need to do to convert days to weeks/weeks to days?

How many months/weeks/days are there in \_\_\_\_ years?

## Varied Fluency

Use a calendar to help you complete the sentences.

There are \_\_\_\_ months in a year.

There are \_\_\_\_ days in February.

\_\_\_\_ months have 30 days, and \_\_\_\_ months have 31 days.

There are \_\_\_\_ days in a year and \_\_\_\_ days in a leap year.




Complete the table.

Number of days	Number of weeks
	5
49	
	12

Sally is 7 years and 2 months old.  
Macey is 85 months old.  
Who is the oldest?  
Explain your answer.

# Years, Months, Weeks & Days

## Reasoning and Problem Solving

<p>Amir, Rosie and Jack describe when their birthdays are.</p> <p>Amir says,  My birthday is in exactly two weeks.</p> <p>Rosie says,  My birthday is in exactly 2 months.</p> <p>Jack says,  My birthday is in 35 days.</p> <p>Use the clues to work out when their birthdays are if today is the 8<sup>th</sup> June.</p>	<p>Amir – 2 weeks is equal to 14 days so his birthday is 22<sup>nd</sup> June.</p> <p>Rosie – 8<sup>th</sup> August</p> <p>Jack – there are another 22 days left in June plus 13 in July, so his birthday is 13<sup>th</sup> July.</p>	<p><b>Always, sometimes, never?</b></p> <p>There are 730 days in two years.</p> <hr/> <p><b>True or false?</b></p> <ul style="list-style-type: none"> <li>• 3 days &gt; 72 hours.</li> <li>• <math>2\frac{1}{2}</math> years = 29 months</li> <li>• 11 weeks 4 days &lt; 10 weeks 14 days</li> </ul>	<p>Sometimes – if both of the years are not leap years this is true. If one is a leap year then there will be 731 days in the 2 years.</p> <hr/> <p>False – 3 days is equal to 72 hours</p> <p>False - <math>2\frac{1}{2}</math> years is greater than 29 months</p> <p>True</p>
--	--	--	--

# Analogue to Digital – 12 hour

## Notes and Guidance

Children convert between analogue and digital times using a format up to 12 hours. They use a.m. and p.m. to distinguish between times in the morning and afternoon.

They understand that how many minutes past the hour determines the digital time.

It is important for children to recognise that digital time need to be written in 4-digit format. For example, 09:30 a.m. not 9:30

## Mathematical Talk

- What time is the analogue clock showing?
- How many minutes is it past the hour? How can you count the minutes efficiently?
- How do we record each time in digital format?
- What does a.m./p.m. mean?
- Can you order the activities starting with the earliest?
- What would the time look like on Alfie’s digital watch when he left home?

## Varied Fluency



The time is \_\_\_\_\_ past 10

This can also be written as \_\_\_\_ minutes past 10

The digital time is \_\_\_\_ : \_\_\_\_

Write each of these times in the digital format.



Record the time of each activity in digital format.

Netball		p.m.	
Football		a.m.	
Rock climbing		p.m.	
Roller disco		a.m.	



Alfie looks at his digital watch and sees this time. What could he be doing at this time?

01:00 p.m.

# Analogue to Digital – 12 hour

## Reasoning and Problem Solving

Annie converts the analogue time to digital format. Here is her answer.



22 : 02

Explain what Annie has done wrong. What should the digital time be?


Annie has recorded the minutes past the hour first instead of the hour. The time should be 02 : 22

12 : 21

On a 12 hour digital clock, how many times will the time be read the same forwards and backwards?

Children can work systematically to work this out. For example, 12:21, 01:10, 02:20, 03:30 etc.

Jack arrives at the train station at the time shown in the morning.



Which trains could he catch?

Destination	Departs
York	07 : 10 a.m.
New Pudsey	09 : 25 a.m.
Bramley	09 : 42 a.m.
Leeds	10 : 03 a.m.

How long will Jack have to wait for each train?

Jack could catch the train to Bramley or Leeds.

He would have to wait 7 minutes to go to Bramley and 28 minutes to go to Leeds.

# Analogue to Digital – 24 hour

## Notes and Guidance

Children now move on to convert between analogue and digital times using a 24 hour clock

They use 12 and 24 hour digital clocks, and a number line, to explore what happens after midday.

## Mathematical Talk

What do you notice about the time 1 o'clock in the afternoon on a 24 hour digital clock?

How will the time be shown for 3 o'clock in the morning/afternoon? How do you know?

What time is the analogue clock showing?

Why is it important to know if it is a.m. or p.m.?

What time does she leave school on a 24 digital clock?

## Varied Fluency


- Explore an interactive 12 and 24 hour digital clock with the children. Compare what happens when the time reaches 1 o'clock in the afternoon. Move the 24 hour clock on to 2 o'clock. Plot the times above a 0-24 number line. What do you notice? Record these times using 24 hour digital format.

4 pm      8 pm      11 pm

- Match the analogue and digital times.

a.m.		p.m.		p.m.		a.m.	
	13 : 10		07 : 10		00 : 45		21 : 20

- Sally leaves school at the time shown. She arrives home 1 hour later. What will the time be on a 24 hour digital clock?




# Analogue to Digital – 24 hour

## Reasoning and Problem Solving

Three children are meeting in the park.

Rosie says,




We are meeting at 14:10.

Teddy says,



We are meeting at 02:10 p.m.

Eva says,



We are meeting at ten to two.

Will all the children meet at the same time?

Explain your answer.

Annie has recorded the minutes past the hour first instead of the hour. The time should be 02 : 22 a.m.

Children can work systematically to work this out. For example, 12:21, 01:10, 02:20, 03:30 etc.

Jack says,



To change any time after midday from 12 hours to 24 hours digital time just add 12 to the hours

Will this always be true? Are there any examples where this isn't the case?

Can you match the time dominoes together so that the touching times are the same?

20:55 Ten to two	13:50 Five to ten	09:55 Ten to three
15:05 Ten past 4	02:50 Five past 3	16:10 Five to nine

Can you create your own version for your partner?

Sometimes true

You need to add 12 to the hour, but not if it is 12 in the hours e.g. 12:04 p.m.

Children may find more than one way to solve this.

**White**

**Rose  
Maths**

Summer - Block 4

**Statistics**

**Year 4**

# Overview

## Small Steps

## NC Objectives

- ▶ Interpret charts
- ▶ Comparison, sum & difference
- ▶ Introducing line graphs
- ▶ Line graphs

Interpret and present discrete and continuous data using appropriate graphical methods, including bar charts and time graphs.

Solve comparison, sum and difference problems using information presented in bar charts, pictograms, tables and other graphs.



# Interpret Charts

## Notes and Guidance

Children revisit how to use bar charts, pictograms and tables to interpret and present discrete data.

They decide which scale will be the most appropriate when drawing their own bar charts.


Children gather their own data using tally charts and then present the information in a bar chart. Questions about the data they have gathered should also be explored so the focus is on interpreting rather than drawing.

## Mathematical Talk

- What are the different ways to present data?
- What do you notice about the different axes?
- What do you notice about the scale of the bar chart?
- What other way could you present the data shown in the bar chart?
- What else does the data tell us?
- What is the same and what is different about the way in which the data is presented?
- What scale will you use for your own bar chart? Why?

## Varied Fluency

Complete the table using the information in the bar chart.



Transport	Number of children
Car	
Walk	
Bus	
Bicycle	

What is the most/least popular way to get to school?  
How many children walk to school?

Produce your own table, bar chart or pictogram showing how the children in your class travel to school.

Represent the data in each table as a bar chart.

Team	Number of house points
Sycamore	
Oak	
Beech	
Ash	

= 20 points

Day	Number of tickets sold
Monday	55
Tuesday	30
Wednesday	45
Thursday	75
Friday	85

# Interpret Charts

## Reasoning and Problem Solving

Halifax City Football Club sold the following number of season tickets:


- Male adults – 6,382
- Female adults – 5,850
- Boys – 3,209
- Girls – 5,057

Would you use a bar chart, table or pictogram to represent this data? Explain why.

Possible answer: I would represent the data in a table because it would be difficult to show the exact numbers accurately in a pictogram or bar chart.

Alex wants to use a pictogram to represent the favourite drinks of everyone in her class.



I will use this image  to represent 5 children.


Explain why this is not a good idea.

It is not a good idea, because it would be difficult to show amounts which are not multiples of 5

Here is some information about the number of tickets sold for a concert.

Day	Number of tickets sold
Monday	55
Tuesday	30
Wednesday	45
Thursday	75
Friday	85

Jack starts to create a bar chart to represent the number of concert tickets sold during the week.



What advice would you give Jack about the scale he has chosen?

What would be a better scale to use?

Is there anything else missing from the bar chart?

Possible response: I would tell Jack to use a different scale for his bar chart because the numbers in the table are quite large.

The scale could go up in 5s because the numbers are all multiples of 5 Jack needs to record the title and he needs to label the axes.

# Comparison, Sum & Difference

## Notes and Guidance

Children solve comparison, sum and difference problems using discrete data with a range of scales.

They use addition and subtraction to answer questions accurately and ask their own questions about the data in pictograms, bar charts and tables.

Although examples of data are given, children should have the opportunity to ask and answer questions relating to data they have collected themselves.

## Mathematical Talk

What does a full circle represent in the pictogram?

What does a half/quarter/three quarters of the circle represent?

What other questions could we ask about the pictogram?

What other questions could we ask about the table?

What data could we collect as a class?

What questions could we ask about the data?

## Varied Fluency



Team	Number of house points
Sycamore	
Oak	
Beech	
Ash	

= 20 points

How many more points does the Sycamore team have than the Ash team?

How many points do Beech and Oak teams have altogether?

How many more points do Ash need to be equal to Oak?



Activity	Number of votes
Bowling	9
Cinema	10
Swimming	7
Ice-skating	14

How many people voted in total?

$\frac{1}{4}$  of the votes were for \_\_\_\_\_.

7 more people voted for \_\_\_\_\_ than \_\_\_\_\_.



As a class, decide on some data that you would like to collect, for example: favourite books, films, food.


Collect and record the data in a table.

Choose a pictogram or a bar chart to represent your data, giving reasons for your choices.

What questions can you ask about the data?

# Comparison, Sum & Difference

## Reasoning and Problem Solving



Rosie has read the bar chart incorrectly. 15 people chose vanilla, 19 people chose chocolate, 10 chose strawberry and 12 chose mint. That means 56 people were asked altogether.

Rosie says,



We asked 54 people altogether.

Can you spot Rosie's mistake?  
How many people were asked altogether?

Attraction	Number of visitors on Saturday	Number of visitors on Sunday
Animal World Zoo	1,282	2,564
Maltings Castle	2,045	1,820
Primrose Park	1,952	1,325
Film Land Cinema	2,054	1,595

### True or false?

- The same number of people visited Maltings Castle as Film Land Cinema on Saturday.
- Double the number of people visited Animal World Zoo on Sunday than Saturday.
- The least popular attraction of the weekend was Primrose Park.

• False  
The Film Land Cinema had 9 more visitors than Maltings Castle

• True  
1,282 doubled is 2,564

• True  
Animal World Zoo - 3,846  
Maltings Castle - 3,865  
Primrose Park - 3,277  
Film Land Cinema - 3,649

# Introducing Line Graphs

## Notes and Guidance

Children are introduced to line graphs in the context of time. They use their knowledge of scales to read a time graph accurately and create their own graphs to represent continuous data.

It is important that children understand that continuous data can be measured (for example time, temperature and height) but as values are changing all the time, the values we read off between actual measurements are only estimates.

## Mathematical Talk

How is the line graph different to a bar chart?


Which is the  $x$  and  $y$  axis? What do they represent?

How would you estimate the temperature at 9:30 a.m.?

How would you estimate the time it was when the temperature was 7 degrees?

## Varied Fluency

The graph shows the temperature in the playground during a morning in April.



The temperature at 9 a.m. is \_\_\_\_\_ degrees.

The warmest time of the morning is \_\_\_\_\_.

Class 4 grew a plant. They measured the height of the plant every week for 6 weeks. The table shows the height of the plant each week.

Week 1	Week 2	Week 3	Week 4	Week 5	Week 6
4 cm	7 cm	9 cm	12 cm	14 cm	17 cm




Create a line graph to represent this information. What scale would you use on the  $x$  and  $y$  axes? Between which two weeks did the plant reach a height of 10 cm?

# Introducing Line Graphs

## Reasoning and Problem Solving

Jack launched a toy rocket into the sky. After 5 seconds the rocket fell to the ground. Which graph shows this? Explain how you know.




Make up your own story for the other graph.

**Graph A**  
The height of the rocket increases then decreases quickly again, returning to a height of 0 at 5 seconds.

**Example story:** A bird flew up from the ground. It continued to fly upwards for 5 seconds then flew at the same height for another 3 seconds.

Tommy created a line graph to show the number of dogs walking in the park one afternoon.



Tommy says,



At half past one there are 1.5 dogs in the park.

Why is Tommy incorrect?

What would be a better way of presenting this data?

Tommy is incorrect because you cannot have 1.5 dogs.

A better way of presenting this data would be using a bar chart, pictogram or table because the data is discrete.

# Line Graphs

## Notes and Guidance

Building from the last step, children continue to solve comparison, sum and difference problems using continuous data with a range of scales.

They use addition and subtraction to answer questions accurately and ask their own questions about the data in line graphs. Although examples of data are given, children need to have the opportunity to ask and answer questions relating to data they have collected themselves.

## Mathematical Talk

Is this discrete or continuous data? How do you know?

What do you notice about the scale of the graph?

How could you make sure you read the graph accurately?

What other questions could you ask about the graph?


How many different ways can you fill in the stem sentences?

## Varied Fluency




The graph shows the growth of a plant over 6 months.

- How tall was the plant when it was measured in May?
- In what month did the plant first reach 50 cm?
- How many centimetres did the plant grow between March and July?
- What was the difference between the height of the plant in February and the height of the plant in April?



Weight of puppy




The graph shows the weight of a puppy as it grows.

When the puppy is \_\_\_ months old the weight is \_\_\_kg  
 Between month \_\_\_ and month \_\_\_ the puppy increased by \_\_\_ kg

# Line Graphs


## Reasoning and Problem Solving

Eva measured the temperature of a cup of tea every 30 minutes for 2 hours. The graph shows Eva's results.



I do not agree with Eva. At 9 a.m. the temperature was 80 degrees and at 9.45 a.m. the temperature was 50 degrees, so it had dropped 30 degrees not 20 degrees.


Eva says,



In the first 45 minutes the temperature of the tea had dropped by 20 degrees.

Do you agree with Eva?  
Explain why.

Write a story to match the graph.



Example story:  
Mo drove 20 miles in his lorry. At half past 9 he had a 15 minute rest then drove for another 30 miles until he reached his destination at 10:30 a.m.



**White**

**Rose  
Maths**

Summer - Block 5

**Properties of Shape**

**Year 4**

# Overview

## Small Steps

## NC Objectives

- Identify angles
- Compare and order angles
- Triangles
- Quadrilaterals
- Lines of symmetry
- Complete a symmetric figure

Identify acute and obtuse angles and compare and order angles up to two right angles by size.

Compare and classify geometric shapes, including quadrilaterals and triangles, based on their properties and sizes.

Identify lines of symmetry in 2-D shapes presented in different orientations.

Complete a simple symmetric figure with respect to a specific line of symmetry.

# Identify Angles

## Notes and Guidance

Children develop their understanding of obtuse and acute angles by comparing with a right angle. They use an angle tester to check whether angles are larger or smaller than a right angle.

Children learn that an acute angle is more than 0 degrees and less than 90 degrees, a right angle is exactly 90 degrees and an obtuse angle is more than 90 degrees but less than 180 degrees.

## Mathematical Talk

How many degrees are there in a right angle?

Draw an acute/obtuse angle.

Estimate the size of the angle.

## Varied Fluency

- A right angle is \_\_\_\_ degrees.  
Acute angles are \_\_\_\_ than a right angle.  
Obtuse angles are \_\_\_\_ than a right angle.

- Sort the angles into acute, obtuse and right angles.


Sorting angles into acute, obtuse, and right angles. The angles shown are: an obtuse angle, an acute angle, a right angle, an obtuse angle, a right angle, and an acute angle. Two boxes are provided for sorting: 87° and 97°.

- Label the angles. O for obtuse, A for acute and R for right angle.

Labeling angles with O for obtuse, A for acute, and R for right angle. The angles shown are: an acute angle, an obtuse angle, a right angle, an obtuse angle, and an acute angle. Each angle has a corresponding empty box below it for labeling.

# Identify Angles

## Reasoning and Problem Solving



I know the angle is not obtuse.



Teddy



Alex

I know the angle is acute.


I think the angle is roughly 45°.



Whitney

Who is correct?  
Explain your reasons.

All are correct. Children may reason about how Whitney has come to her answer and discuss that the angle is about half a right angle. Half of 90 degrees is 45 degrees.



Is the angle acute, obtuse or a right angle?  
Can you explain why?

Find the sum of the largest acute angle and the smallest obtuse angle in this list:

- 12° 98° 87° 179° 90° 5°

The angle is a right angle. Children may use an angle tester to demonstrate it, or children may extend the line to show that it is a quarter turn which is the same as a right angle.



$$87^\circ + 98^\circ = 185^\circ$$

## Compare & Order Angles

### Notes and Guidance

Children compare and order angles in ascending and descending order.

They use an angle tester to continue to help them to decide if angles are acute or obtuse.

Children identify and order angles in different representations including in shapes and on a grid.

### Mathematical Talk

How can you use an angle tester to help you order the angles?


How many obtuse/acute/right angles are there in the diagrams?

Compare the angles to a right angle. Does it help you to start to order them?


Rotate the angles so one of the lines is horizontal. Does this help you to compare them more efficiently?

### Varied Fluency

- Circle the largest angle in each shape or diagram.




- Order the angles from largest to smallest.



Can you draw a larger obtuse angle?  
Can you draw a smaller acute angle?


- Order the angles in the shape from smallest to largest. Complete the sentences.



Angle \_\_\_\_ is smaller than angle \_\_\_\_.  
Angle \_\_\_\_ is larger than angle \_\_\_\_.

# Compare & Order Angles

## Reasoning and Problem Solving



Angle A and Angle B are the same size. Ron has mixed up the lengths of the lines with the size of the angles.




Ron

Angle B is bigger than Angle A because it has longer sides.

Do you agree with Ron? Explain your thinking.

Here are five angles. There are two pairs of identically sized angles and one odd one out. Which angle is the odd one out? Explain your reason.



Angle e is the odd one out.

Angle b and c are both right angles.

Angle a and d are both half of a right angle or 45 degrees.

Angle e is an obtuse angle.

# Triangles

## Notes and Guidance


Teachers might start this small step by recapping the definition of a polygon. An activity might be to sort shapes into examples and non-examples of polygons. Children will classify triangles for the first time using the names 'isosceles', 'scalene' and 'equilateral'. Children will use rulers to measure the sides in order to classify them correctly. Children will compare the similarities and differences between triangles and use these to help them identify, sort and draw.

## Mathematical Talk

- What is a polygon? What isn't a polygon?
- What are the names of the different types of triangles?
- What are the properties of an isosceles triangles?
- What are the properties of a scalene triangle?
- What are the properties of an equilateral triangle?
- Which types of triangle can also be right-angled?
- How are the triangles different?
- Do any of the sides need to be the same length?


## Varied Fluency

Label each of these triangles: isosceles, scalene or equilateral.



Are any of these triangles also right-angled?

Look at these triangles. What is the same and what is different?




Using a ruler, draw:

- An isosceles triangle
- A scalene triangle


# Triangles

## Reasoning and Problem Solving

Here is a square.  
 Inside the square is an equilateral triangle.  
 The perimeter of the square is 60 cm.  
 Find the perimeter of the triangle.



The perimeter of the triangle is 45 cm.




Eva

If I use 6 straws to make a triangle, I can only make an equilateral triangle.

Investigate whether Eva is correct.

Draw two more sides to create:

- An equilateral triangle
- A scalene triangle
- An isosceles triangle



Which is the hardest to draw?

Eva is correct. 2, 2, 2 is the only possible construction. 1, 1, 4 and 1, 2, 3 are not possible.

Children will draw a range of triangles. Get them to use a ruler to check their answers. Equilateral will be difficult to draw accurately because the angle between the first two sides drawn, must be  $60^\circ$



# Quadrilaterals

## Notes and Guidance

Children name quadrilaterals including a square, rectangle, rhombus, parallelogram and trapezium. They describe their properties and highlight the similarities and differences between different quadrilaterals.

Children draw quadrilaterals accurately using knowledge of their properties.

Teachers could use a Frayer Model with the children to explore the concept of quadrilaterals further.

## Mathematical Talk

- What's the same about the quadrilaterals?
- What's different about the quadrilaterals?
- Why is a square a special type of rectangle?
- Why is a rhombus a special type of parallelogram?

## Varied Fluency

Label the quadrilaterals using the word bank.

trapezium  
square  
rhombus  
rectangle  
parallelogram

Use the criteria to describe the shapes.

four sides	2 pairs of parallel sides	four equal sides
polygon	1 pair of parallel sides	4 right angles

Which criteria can be used more than once?  
Which shapes share the same criteria?

Draw and label:

- a rhombus.
- a parallelogram.
- 3 different trapeziums

# Quadrilaterals

## Reasoning and Problem Solving

Complete each of the boxes in the table with a different quadrilateral.

	4 equal sides	2 pairs of equal sides	1 pair of parallel sides
4 right angles			
No right angles			

Which box cannot be completed?  
Explain why.

	4 equal sides	2 pairs of equal sides	1 pair of parallel sides
4 right angles			
No right angles			

Children can discuss if there are any shapes that can go in the top right corner. Some children may justify it could be a square or a rectangle however these have 2 pairs of parallel sides.

You will need:

Some 4 centimetre straws  
Some 6 centimetre straws

How many different quadrilaterals can you make using the straws?

Calculate the perimeter of each shape.

**Square:** Four 4 cm - perimeter is 16 cm or four 6 cm - perimeter is 24 cm

**Rectangle:** Two 4 cm and two 6 cm - perimeter is 20 cm

**Rhombus:** Four 4 cm - perimeter is 16 cm

Four 6 cm straws - perimeter is 24 cm

**Parallelogram:** Two 4 cm and two 6 cm - perimeter is 20 cm

**Trapezium:** Three 4 cm and one 6 cm - perimeter is 18 cm

# Lines of Symmetry

## Notes and Guidance

Children find and identify lines of symmetry within 2-D shapes. Children explore symmetry in shapes of different sizes and orientations. To help find lines of symmetry children may use mirrors and tracing paper.


The key aspect of symmetry can be taught through paper folding activities. It is important for children to understand that a shape may be symmetrical, but if the pattern on the shape isn't symmetrical, then the diagram isn't symmetrical.

## Mathematical Talk

- Explain what you understand by the term 'symmetrical'.
- Can you give any real-life examples?
- How can you tell if something is symmetrical?
- Are lines of symmetry always vertical?
- Does the orientation of the shape affect the lines of symmetry?
- What equipment could you use to help you find and identify lines of symmetry?
- What would the rest of the shape look like?


## Varied Fluency

Using folding, find the lines of symmetry in these shapes.




Sort the shapes into the table.

	1 line of symmetry	More than 1 line of symmetry
Up to 4 sides		
More than 4 sides		



Draw the lines of symmetry in these shapes (you could use folding to help you).




What do you notice?


# Lines of Symmetry

## Reasoning and Problem Solving

How many symmetrical shapes can you make by colouring in a maximum of 6 squares?



There are a variety of options. Some examples include:



Jack

A triangle has 1 line of symmetry unless you change the orientation.

Is Jack correct? Prove it.

Jack is incorrect. Changing the orientation does not change the lines of symmetry. Children should prove this by drawing shapes in different orientations and identifying the same number of lines of symmetry.

**Always, Sometimes, Never.**

A four-sided shape has four lines of symmetry.

Sometimes, provided the shape is a square.

# Symmetric Figures

## Notes and Guidance

Children use their knowledge of symmetry to complete 2-D shapes and patterns.

Children could use squared paper, mirrors or tracing paper to help them accurately complete figures.

## Mathematical Talk

What will the rest of the shape look like?

How can you check?


How can you use the squares to help you?

Does each side need to be the same or different?


Which lines need to be extended?

## Varied Fluency


Colour the squares to make the patterns symmetrical.



Complete the shapes according to the line of symmetry.



Reflect the shapes in the mirror line.



# Symmetric Figures

## Reasoning and Problem Solving




Dora

When given half of a symmetrical shape I know the original shape will have double the amount of sides.


Do you agree with Dora?  
Convince me.

Dora is sometimes correct. This depends on where the mirror line is. Encourage children to draw examples of times where Dora is correct, and to draw examples of times when Dora isn't correct.

How many different symmetrical shapes can you create using the given sides?



Children will find a variety of shapes. For example:



**White**

**Rose  
Maths**

Summer - Block 6

**Position and Direction**

**Year 4**

# Overview

## Small Steps

## NC Objectives

- Describe position
- Draw on a grid
- Move on a grid
- Describe a movement on a grid

Describe positions on a 2-D grid as coordinates in the first quadrant. Plot specified points and draw sides to complete a given polygon.

Describe movements between positions as translations of a given unit to the left/ right and up/ down.



# Describe Position

## Notes and Guidance

Children are introduced to coordinates for the first time and they describe positions in the first quadrant.

They read, write and use pairs of coordinates. Children need to be taught the order in which to read the axes,  $x$ -axis first, then  $y$ -axis next. They become familiar with notation within brackets.

## Mathematical Talk


- Which is the  $x$ -axis?
- Which is the  $y$ -axis?
- In which order do we read the axes?
- Does it matter in which order we read the axes?
- How do we know where to mark on the point?
- What are the coordinates for \_\_\_\_\_?
- Where would ( \_\_ , \_\_ ) be?

## Varied Fluency


❖ Create a large grid using chalk or masking tape. Give the children coordinates to stand at. Encourage the children to move along the axis in the order they read them.

❖ Write the coordinates for the points shown.

- ✖ ( \_\_ , \_\_ )   ✖ ( \_\_ , \_\_ )
- ✖ ( \_\_ , \_\_ )   ✖ ( \_\_ , \_\_ )




❖ Write out the coordinates that spell your name.



# Describe Position

## Reasoning and Problem Solving




Teddy is correct.  
Rosie has read the  $y$ -axis before the  $x$ -axis.

The point is plotted at  $(7, 3)$




Teddy



Rosie

The point is plotted at  $(3, 7)$

Who is correct?  
What mistake has one of the children made?



Clue 1 - B  
Clue 2 - A  
Clue 3 - C

Which clue matches which coordinate?

Clue 1

My  $x$  coordinate is half of my  $y$  coordinate.

Clue 2

My  $y$  coordinate is less than my  $x$  coordinate.

Clue 3

Both my coordinates are prime numbers.

## Draw on a Grid

### Notes and Guidance

Children develop their understanding of coordinates by plotting given points on a 2-D grid.

Teachers should be aware that children need to accurately plot points on the grid lines (not between them).

They read, write and use pairs of coordinates.

### Mathematical Talk

Do we plot our point on the line, or next to the line?

How could we use a ruler to help plot points?

In which order do we read and plot the coordinates?

Does it matter which way we plot the numbers on the axis?


What are the coordinates of \_\_\_\_\_?

Where would ( \_\_, \_\_ ) be?

Can you show \_\_\_\_\_ on the grid?

### Varied Fluency

Draw the shapes at the correct points on the grid.



(7, 8)



(4, 6)




(9, 1)



(10, 0)

Plot two more points to create a square.



Plot these points on a grid.

(2, 4)

(4, 2)

(5, 8)

(7, 6)

What shape has been created?

## Draw on a Grid

### Reasoning and Problem Solving

What shapes could be made by plotting three more points?



The children could make a range of quadrilaterals dependent on where they plot the points. If children plot some of the points in a line they could make a triangle.

When you are plotting a point on a grid it does not matter whether you go up or across first as long as you do one number on each axis.



Amir

Do you agree with Amir? Convince me.

Amir is incorrect. The  $x$ -axis must be plotted before the  $y$ -axis. Children prove this by plotting a pair of coordinates both ways and showing the difference.

### Always, Sometimes, Never.

The number of points is equal to the number of vertices when they are joined together.

Sometimes. If points are plotted in a straight line they will not create a vertex.

## Move on a Grid

### Notes and Guidance

Children move shapes and points on a coordinate grid following specific directions using language such as: left/right and up/down.

Teachers might want to use a small 'object' (e.g. a small cube) to demonstrate the idea of moving a point on a grid.

They apply their understanding of coordinates when translating by starting with the left/right translation followed by up/down.

### Mathematical Talk

Can you describe the translation?

Can you describe the translation in reverse?

Why do we go left and right first when describing translations.

What are the coordinates for point \_\_\_\_?

Write a translation for D for your partner to complete.

What do you notice about the new and original points?



What is the same and what is different about the new and original points?

### Varied Fluency

Place a small cube on the grid at coordinate (1, 1).  
 Move your cube 1 up. Move your cube 1 down. What do you notice?  
 Now move your cube 3 to the right. Move your cube 3 to the left.  
 What do you notice?


Translate A 6 right and 3 down.  
 Record the coordinates before ( \_\_, \_\_ )  
 and after ( \_\_, \_\_ )  
 Translate B and C 4 left and 3 up.  
 Record the coordinates before ( \_\_, \_\_ )  
 and after ( \_\_, \_\_ )

Translate the rectangle 2 left and 3 up.  
 Write down the coordinates of each vertex of the rectangle before and after the translation.



# Move on a Grid

## Reasoning and Problem Solving



There could be a range of answers, for example:

Translate 1 left and 1 right

Translate 1 left, 1 right, 2 up and 2 down




Ron translates the point (2, 3), but realises that it has returned to the same position.

What translation did he do?

Is there more than one answer?

Here is a game to play in pairs:

Each player needs:



1 small cube

One barrier (e.g. a mini whiteboard)

The first player places a cube on their grid. They describe the original position and perform a translation.

The second player listens to the instructions and performs the same translation.

They check to see if they have placed their cube at the same coordinate.

Swap roles and repeat several times.

The teacher could make this more competitive (points awarded when correct).

# Describe Movement

## Notes and Guidance

Children describe the movement of shapes and points on a coordinate grid using specific language such as: left/right and up/down. Sentence stems might be useful. They start with the left/right translation followed by up/down.

Teachers should check that children understand the idea of ‘corresponding vertices’ when describing translation of shapes (e.g. vertex A on the object translates to vertex A on the image).

## Mathematical Talk

Can you describe the translation?



Can you describe the translation in reverse?

Can you complete the following stem sentence:

Shape A is translated \_\_\_ left/right and \_\_\_ up/down to shape B


## Varied Fluency

Describe the translation from:



Describe the translation from:  
A to B    B to C    C to D    D to A


Plot two new points and describe the translations from A to your new points.



Describe the translation of shape A to shape B.

Describe the translation of shape B to shape A.


What do you notice?



# Describe Movement

## Reasoning and Problem Solving


Tommy has described the translation from A to B as 3 right and 4 up.



Can you explain his mistake?

Tommy has counted one move to the right when he has not moved anywhere yet. He has done the same for one move up when he has not moved up one space yet.

▲ to ✕ is 4 right and 4 down.  
 ✕ to ▲ is 4 left and 4 up.



Can you plot other pairs of points where to move between them, you travel the same to left or right as you travel up or down?

What do you notice about the coordinates of these points?

Possible answers include:

- (0,1) (1,0)
- (0,2) (2,0)
- (0,3) (3,0)
- (0,5) (5,0)
- (1,1) (3,3)
- (0,0) (4,4)